

@mjkabir Notes



<https://shownotes.app/show/irkwm>

Vanilla Javascript Tricks for Websites

Sometimes you need vanilla JS to do tricks on websites.



AI REVIEW PASSED.

Change all "target" with "whatever"

```
/*
 * To use the Chrome Inspector to execute the strReplace function:
 * Open Chrome Inspector:
 * Right-click on the webpage and select Inspect, or use the
 * shortcut Ctrl+Shift+I (Windows/Linux) or Cmd+Option+I (Mac).
 * Navigate to the Console:
 * Click on the Console tab within the Inspector to access the JavaScript console.
 * Copy the strReplace function provided earlier and paste it into the console.
 * Press Enter to define the function in the current page context.
 *
 *
 * Execute the Function:
 * Call the strReplace function with your specific parameters directly
 * in the console. For example:
 *
 * strReplace('oldText', 'newText');
 *
 * For a case-sensitive search, add true as the third parameter:
 * strReplace('oldText', 'newText', true);
 *
 */

function strReplace(src, replace, case_sensitive = false) {

const elements = document.body.getElementsByTagName('*');

for (const element of elements) {
for (const node of element.childNodes) {
if (node.nodeType === 3) {
const text = node.nodeValue;
const searchText = case_sensitive ? src : new RegExp(src, 'gi');
const replacedText = text.replace(searchText, replace);

if (replacedText !== text) {
element.replaceChild(document.createTextNode(replacedText), node);
}
}
}
}
}
}
```

386 days 18 hrs ago

